

Printing Date 03/04/2016 Revision Number 7 Revision Date 12/15/2021

1 Identification

- · Product identifier
- · Trade name: Butyl Rubber Sealant
- · Article number: 451BSG-1
- · Relevant identified uses of the substance or mixture. Sealant
- · Application of the substance / the mixture Sealant
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dicor Products, an Airxcel brand

2965 Lavanture Place Elkhart, IN 46514

Information Phone Number: 574-264-2699

- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTel: Day or Night within USA and Canada: 1 -800-255-3924 Outside USA and Canada: +1 813-248-0585 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



...

- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Printing Date 03/04/2016 Revision Number 7 Revision Date 12/15/2021

Trade name: 451BSG-1

(Contd. of page 1)

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2

Fire = 2

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Hazardous components:			
471-34-1	calcium carbonate	25-50%	
8052-41-3	Stoddard solvent (mineral spirits)	10-25%	
546-93-0	Magnesite	2.5-10%	
1332-58-7	Kaolin	≤2.5%	
13463-67-7	titanium dioxide	≤1.0%	
1305-78-8	calcium oxide	≤1.0%	

· Additional information:

It is highly unlikely the powders and pigments compounded within this product would pose a hazardous risk from inhalation as they are no longer a respirable particulate. Exposure to these ingredients as used in sealants, putties, bedding compounds and other non-sprayable products is highly unlikely. The concentrations listed in the composition section are percent by weight unless a gas. Gas concentrations are expressed in percent by volume.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Overexposure, remove to fresh air and seek medical attention.
- · After skin contact:

Wipe excess from skin.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing Date 03/04/2016 Revision Number 7 Revision Date 12/15/2021

Trade name: 451BSG-1

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires:

Keep container closed when not in use.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from open flames and high temperatures.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

8052-41-3 Stoddard solvent (mineral spirits)

PEL Long-term value: 2900 mg/m³, 500 ppm

REL Long-term value: 350 ppm

Ceiling limit value: 1800* mg/m³

*15-min

TLV Long-term value: 525 mg/m³, 100 ppm

(Contd. on page 4)

Printing Date 03/04/2016 Revision Number 7 Revision Date 12/15/2021

Trade name: 451BSG-1

546-9	O3-0 Magnesite (Contd. of p
	Long-term value: 15* 5** mg/m ³
L	*total dust **respirable fraction
REL	Long-term value: $10*5**mg/m^3$
	*total dust **respirable fraction
TLV	TLV withdrawn
	-58-7 Kaolin
PEL	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV	Long-term value: $2* mg/m^3$ E; as respirable fraction
1346.	3-67-7 titanium dioxide
PEL	Long-term value: 15* mg/m³ *total dust
REL	See Pocket Guide App. A
	Long-term value: 10 mg/m³ withdrawn from NIC
1305	-78-8 calcium oxide
PEL	Long-term value: 5 mg/m ³
	Long-term value: 2 mg/m³
	Long-term value: 2 mg/m³
1480	8-60-7 Quartz (SiO2)
PEL	see Quartz listing
REL	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
TLV	Long-term value: 0.025* mg/m³ *as respirable fraction
100-4	11-4 ethylbenzene
PEL	Long-term value: 435 mg/m³, 100 ppm
REL	Short-term value: 545 mg/m³, 125 ppm Long-term value: 435 mg/m³, 100 ppm
TLV	Long-term value: 87 mg/m³, 20 ppm BEI
Ingre	dients with biological limit values:
	l1-4 ethylbenzene
	0.7 g/g creatinine
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)
	- Medium: end-exhaled air
	Time: not critical
	Parameter: Ethyl benzene (semi-quantitative) ional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing Date 03/04/2016 Revision Number 7 Revision Date 12/15/2021

Trade name: 451BSG-1

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Protective gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses with side shields.



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Pasty Color: Gray

Odor: Hydrocarbon-like
 Odor threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point:Undetermined.Boiling point:178 °C (352 °F)

(Contd. on page 6)

Printing Date 03/04/2016 Revision Number 7 Revision Date 12/15/2021

Trade name: 451BSG-1

	(Contd. of	page
Flash point:	40 °C (104 °F)	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	230 °C (446 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Flammable limits: Lower:	1.1 Vol %	
Upper: Vapor pressure:	6.0 Vol % Not applicable.	
Specific gravity at 20 °C (68 °F): Relative density Vapor density	1.32 g/cm³ (11.015 lbs/gal) Not determined. Not applicable.	
Solubility in / Miscibility with Water:	Insoluble	
Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not applicable. >20.5cSt	
· Solvent content: Organic solvents:	20 %	
Solids content: Other information	80.0 % VOC Content = 240g/L	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, flames, sparks.
- · Incompatible materials: Reacts with strong oxidizing agents.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Due to the form of this product, exposure to the potentially carcinogenic components is not expected.

(Contd. on page 7)

Printing Date 03/04/2016 Revision Number 7 Revision Date 12/15/2021

Trade name: 451BSG-1

(Contd. of page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

13463-67-7 titanium dioxide

2B

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Small amounts can be disposed of with household waste after the product has cured or skinned over. Larger quantities should be disposed of according to state and local regulation.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADR, ADN, IMDG, IATA	not regulated	
· UN proper shipping name		
· DOT, ADR, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
· DOT, ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	

(Contd. on page 8)

Printing Date 03/04/2016 Revision Number 7 Revision Date 12/15/2021

Trade name: 451BSG-1

	(Contd. of page
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex I	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	This product is not classified as a Division 4.1Flammable Solids according to UN Test N.1 Test Method for Readily Combustibile Solids.
· UN ''Model Regulation'':	not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

- · Proposition 65
- · Chemicals known to cause cancer:

13463-67-7 titanium dioxide

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· New Jersey	· New Jersey Right-to-Know List:				
	Limestone				
546-93-0	Magnesite				
1332-58-7	Kaolin				
13463-67-7	titanium dioxide				
1305-78-8	calcium oxide				
· New Jersey	· New Jersey Special Hazardous Substance List:				
1305-78-8	calcium oxide CO, R1				
· Pennsylvani	· Pennsylvania Right-to-Know List:				
1317-65-3	Limestone				
1332-58-7	Kaolin				
13463-67-7	titanium dioxide				
1305-78-8	calcium oxide				

(Contd. on page 9)

Printing Date 03/04/2016 Revision Number 7 Revision Date 12/15/2021

Trade name: 451BSG-1

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

1332-58-7 Kaolin A4

13463-67-7 titanium dioxide A4

· MAK (German Maximum Workplace Concentration)

13463-67-7 titanium dioxide 3A

· NIOSH-Ca (National Institute for Occupational Safety and Health)

· National regulations:

13463-67-7 titanium dioxide

- · Water hazard class: Not determined.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Dicor Products makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Dicor Products or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- · Department issuing SDS: Environment protection department.
- · Creation Date: 09/20/2012
- · Date of preparation / last revision 03/04/2016 / 6
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

. . . .